

	Hot Under The Collar	Points	Section points																		
1.	<p>Using John's rule $F = (20 \times 9) \div 5 + 32$ $F = 68$</p> <p>Using Anne's rule $F = 20 \times 2 + 30$ $F = 70$</p> <p>Anne is 2° too high</p>	2 2 1	5																		
2.	<p>Listing</p> <table border="0" data-bbox="323 801 842 1025"> <thead> <tr> <th>°C</th> <th>John °F</th> <th>Anne °F</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>41</td> <td>40</td> </tr> <tr> <td>9</td> <td>48.2</td> <td>48</td> </tr> <tr> <td>10</td> <td>50</td> <td>50</td> </tr> <tr> <td>15</td> <td>59</td> <td>60</td> </tr> <tr> <td>20</td> <td>68</td> <td>70</td> </tr> </tbody> </table> <p>Alternatively, graphs may be drawn.</p> <div data-bbox="402 1128 1137 1740" data-label="Figure"> </div> <p>Using Anne's method, for temperatures above 10°C, the °F is too high.</p>	°C	John °F	Anne °F	5	41	40	9	48.2	48	10	50	50	15	59	60	20	68	70	4 or 1	5
°C	John °F	Anne °F																			
5	41	40																			
9	48.2	48																			
10	50	50																			
15	59	60																			
20	68	70																			
	Total		10																		